

INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.0007 0101	Serial No.: 10/732,782
OIP E JC64 JU	Applicant(s): HSU et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
Information Disclosure Statement mailed:		



U.S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

OTHER DOCUMENTS (Including Authors, Title, Date, Pertinent Papers, etc.)

EXAMINER 	Date Considered <i>01/13/06</i>
--	---

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION
DISCLOSURE
STATEMENT**

Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
Applicant(s): Hsu et al.	Confirmation No.: 6883
Application Filing Date: 12/10/03	Group: 1614
Information Disclosure Statement mailed:	



U.S. PATENT DOCUMENTS

Examiner Initial	Copy Enclosed	Document Number	Date	Name	Class	Subclass	Filing Date If Appropriate
ASR		2003/0134300	07/17/03	Golub et al.			

FOREIGN PATENT DOCUMENTS

Examiner Initial	Copy Enclosed	Document Number	Date	Country	Class	Subclass	Translation	
							Yes	No

OTHER DOCUMENTS (Including Authors, Title, Date, Pertinent Papers, etc.)

Examiner Initial	Copy Enclosed	Document Description
ASR	✓	Ahmad et al., "Identification and Characterization of Murine Caspase-14, a New Member of the Caspase Family," <i>Cancer Res</i> , 1998;58: 5201-5205
	✓	Ahmad et al., "Green Tea Constituent Epigallocatechin-3-Gallate and Induction of Apoptosis and Cell Cycle Arrest in Human Carcinoma Cells," <i>J Natl Cancer Inst.</i> , 1997;89: 1881-1886
	✓	Appel et al., "Metabolic stability of experimental chemotherapeutic agents in hepatocyte: tumor cell co-cultures," <i>Cancer Chemother Pharmacol</i> , 1986;17: 47-52
	✓	Arteaga et al., "Transforming Growth Factor β : Potential Autocrine Growth Inhibitor of Estrogen Receptor-negative Human Breast Cancer Cells," <i>Cancer Res</i> , 1988;48: 3898-3904
	✓	Azuma et al., "Immortalization of Normal Human Salivary Gland Cells with Duct-, Myoepithelial-, Acinar-, or Squamous Phenotype by Transfection with SV40 Ori-Mutant Deoxyribonucleic Acid," <i>Lab Invest</i> , 1993;69: 24-42
	✓	Bacus et al., "Neu differentiation factor (Heregulin) activates a p53-dependent pathway in cancer cells," <i>Oncogene</i> , 1996 12:2535-2547
	✓	Balasubramanian et al., "Green Tea Polyphenol Stimulates a Ras, MEKK1, MEK2, and p38 Cascade to Increase Activator Protein 1 Factor-dependent Involucrin Gene Expression in Normal Human Keratinocytes," <i>J Biol Chem</i> , 18 January 2002;277(3): 1828-1836

EXAMINER


Date Considered

01/13/06

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.


INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
	Applicant(s): Hsu et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
	Information Disclosure Statement mailed:	

Examiner Initial	Copy Enclosed	Document Description
APD	✓	Barthelman et al., "(-)-Epigallocatechin-3-gallate inhibition of ultraviolet B-induced AP-1 activity," <i>Carcinogenesis</i> , 1998;19(12):2201-2204
	✓	Bikle et al., "Calcium- and vitamin D-regulated keratinocyte differentiation," <i>Mol Cell Endocrinol</i> , 2001;177: 161-171
	✓	Blagosklonny et al., "Taxol Induction of p21 ^{WAF1} and p53 Requires c-raf-1," <i>Cancer Res</i> , 1995;55: 4623-4626
	✓	Blanc et al., "Caspase-3 Is Essential for Procaspsase-9 Processing and Cisplatin-induced Apoptosis of MCF-7 Breast Cancer Cells", <i>Cancer Res</i> , 2000;60: 4386-4390
	✓	Bors et al., "Electron Paramagnetic Resonance Studies of Radical Species of Proanthocyanidins and Gallate Esters," <i>Arch Biochem Biophys</i> , 2000;374: 347-355
	✓	Bravo, "Polyphenols: Chemistry, Dietary Sources, Metabolism, and Nutritional Significance," <i>Nutri Rev</i> , 1998;56(11): 317-333
	✓	Ceeconni, "Apaf1 and the apoptotic machinery," <i>Cell Death Diff</i> , 1999; 6: 1087-1098
	✓	Chai et al., "Contribution of hydrogen peroxide to the cytotoxicity of green tea and red wines," <i>Biochem Biophys Res Commun</i> , 2003;304:650-654
	✓	Chang et al., "DOK, A Cell Line Established from Human Dysplastic Oral Mucosa, Shows a Partially Transformed Non-malignant Phenotype," <i>Int J Cancer</i> , 1992;52:896-902
	✓	Chaturvedi et al., "Apoptosis in Proliferating, Senescent, and Immortalized Keratinocytes," <i>J Biol Chem</i> , 13 August 1999;274(33): 23358-23367
	✓	Chen et al., "Activation of Antioxidant-Response Element (ARE), Mitogen-Activated Protein Kinases (MAPKs) and Caspases by Major Green Tea Polyphenol Components during Cell Survival and Death," <i>Arch Pharm Res</i> , 2000;23: 605-612
	✓	Chen et al., "Green tea epigallocatechin gallate shows a pronounced growth inhibitory effect on cancerous cells but not on their normal counterparts," <i>Cancer Lett.</i> , 1998;129:173-179

EXAMINER 	Date Considered 01/13/06
*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
	Applicant(s): Hsu et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
	Information Disclosure Statement mailed: _____	

Examiner Initial	Copy Enclosed	Document Description
APW	✓	Chen et al., "Tea Catechins Protect against Lead-Induced Cytotoxicity, Lipid Peroxidation, and Membrane Fluidity in HepG2 Cells," <i>Toxicol Sci</i> , 2002;69: 149-156
	✓	Chung et al., "Inhibition of Activator Protein 1 Activity and Cell Growth by Purified Green Tea and Black Tea Polyphenols in H-ras-transformed Cells: Structure-Activity Relationship and Mechanism Involved," <i>Cancer Res</i> , 1999;59: 4610-4617
	✓	Cuvillier et al., "Sphingosine generation, cytochrome c release, and activation of caspase-7 in doxorubicin-induced apoptosis of MCF7 breast adenocarcinoma cells," <i>Cell Death Differ</i> , 2001;8: 162-71
	✓	Dashwood et al., "Inhibition of β-catenin/Tcf activity by white tea, green tea, and epigallocatechin-3-gallate (EGCG): minor contribution of H ₂ O ₂ at physiologically relevant EGCG concentrations," <i>Biochem Biophys Res Commun</i> , 2002;296: 584-588
	✓	Deschenes et al., "Role of p27 ^{Kip1} in Human Intestinal Cell Differentiation," <i>Gastroenterology</i> , 2001;120: 423-438
	✓	Di Cunto et al., "Inhibitory Function of p21 ^{Cip1/Waf1} in Differentiation of Primary Mouse Keratinocytes Independent of Cell Cycle Control," <i>Science</i> , 1998;280: 1069-1072
	✓	Dong, "Effects of food factors on signal transduction pathways," <i>Biofactors</i> , 2000;12: 17-28
	✓	Dransfield et al., "8-C1-Adenosine Induces Growth Arrest without Differentiation of Primary Mouse Epidermal Keratinocytes," <i>J Invest Dermatol</i> , 2001;117(6):1588-1593
	✓	Dvorakova et al., "Pharmacokinetics of the green tea derivative, EGCG, by the topical route of administration in mouse and human skin," <i>Cancer Chemother Pharmacol</i> , 1999;43: 331-335
	✓	Eckhart et al., "Caspase-14: Analysis of Gene Structure and mRNA Expression during Keratinocyte Differentiation," <i>Biochem Biophys Res Commun</i> , 2000;277:655-659

EXAMINER 	Date Considered 01/13/06
<small>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</small>	

INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
	Applicant(s): Hsu et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
	Information Disclosure Statement mailed:	

Examiner Initial	Copy Enclosed	Document Description
ASP	✓	Eckhart et al., "Terminal Differentiation of Human Keratinocytes and Stratum Corneum Formation is Associated with Caspase-14 Activation," <i>J Invest Dermatol</i> , 2000;115:1148-1151
	✓	El-Mir et al., "In vitro test to determine the effect of cytostatic drugs on co-cultured rat hepatocytes and hepatoma cells," <i>Int J Exp Pathol</i> , 1998;79:109-115
	✓	Fu, "The Effects on Cell Growth of Tea Polyphenols Acting as a Strong Anti-peroxidant and an Inhibitor of Apoptosis in Primary Cultured Rat Skin Cells," <i>Biomed Environ Sci</i> , 2000;13: 170-179
	✓	Fujita et al., "Interferon-β Gene Regulation: Tandemly Repeated Sequences of a Synthetic 6 bp Oligomer Function as a Virus-Inducible Enhancer," <i>Cell</i> , 1987;49: 357-367
	✓	Halliwell, "Oxidative stress in cell culture: an under-appreciated problem?," <i>FEBS Lett</i> , 2003;540: 3-6
	✓	Harada et al., "Absence of the Type I IFN System in EC Cells: Transcriptional Activator (IRF-1) and Repressor (IRF-2) Genes are Developmentally Regulated," <i>Cell</i> , 1990;63: 303-312
	✓	Higdon, et al., "Tea Catechins and Polyphenols: Health Effects, Metabolism, and Antioxidant Functions," <i>Crit Rev Food Sci Nutr</i> , 2003;43(1): 89-143
	✓	Hong et al., "Stability, Cellular Uptake, Biotransformation, and Efflux of Tea Polyphenol (-)-Epigallocatechin-3-Gallate in HT-29 Human colon Adenocarcinoma Cells," <i>Cancer Res.</i> , 2002;62: 7241-7246
	✓	Hsu et al., "Green Tea Polyphenol Targets the Mitochondria in Tumor Cells Inducing Caspase 3-Dependent Apoptosis," <i>Anticancer Res</i> , 2003; 23:1533-1540
	✓	Hsu et al., "Green Tea Polyphenols Induce Differentiation and Proliferation in Epidermal Keratinocytes," <i>J Pharmacol Exp Ther</i> , 2003;306: 29-34
	✓	Hsu et al., "Chemoprevention of oral cancer by green tea." <i>General Dentistry</i> , 2002 Mar-Apr;50(2): 140-146

EXAMINER 	Date Considered 01/17/06
<small>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</small>	

INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
	Applicant(s): Hsu et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
	Information Disclosure Statement mailed: _____	

Examiner Initial	Copy Enclosed	Document Description
HSD	✓	Hsu et al., "Chemopreventive effects of green tea polyphenols correlate with reversible induction of p57 expression," <i>Anticancer Research</i> , 2001 Nov-Dec;21(6A): 3743-3478.
	✓	Hsu et al., "Induction of p57 is required for cell survival when exposed to green tea polyphenols," <i>Anticancer Research</i> , 2002 Nov-Dec;22(6C): 4115-4120
	✓	Hsu et al., "Chemopreventive effects of green tea polyphenol is associated with caspase 14 induction in epidermal keratinocytes," AACR Annual Meeting, Orlando, Fl., March 29, 2004. Abstract
	✓	Hu et al., "Caspase-14 Is a Novel Developmentally Regulated Protease," <i>J Biol Chem</i> , 6 November 1998;273(45): 29648-29653
	✓	Huang et al., "Inhibitory effect of topical application of a green tea polyphenol fraction on tumor initiation and promotion in mouse skin," <i>Carcinogenesis</i> , 1992;13(6): 947-954
	✓	Huynh et al., <i>Journal of Dental Research</i> , 201;80: 176
	✓	Irwin et al., "Role for the p53 homologue p73 in E2F-1-induced apoptosis," <i>Nature</i> , 2000;407: 645-648
	✓	Ishii et al., "Prevention of Mammary Tumorigenesis in Acatalasemic Mice by Vitamin E Supplementation," <i>Jpn J Cancer Res</i> , 1996;87: 680-684
	✓	Islam et al., "Involvement of Caspase-3 in Epigallocatechin-3-gallate-Mediated Apoptosis of Human Chondrosarcoma Cells," <i>Biochem Biophys Res Commun</i> , 2000;270: 793-797
	✓	Ito et al., "Expression of p57/Kip2 protein in extrahepatic bile duct carcinoma and intrahepatic cholangiocellular carcinoma," <i>Liver</i> , 2000;22: 145-149
	✓	Ito et al., "Expression of p57/Kip2 Protein in Hepatocellular Carcinoma," <i>Oncology</i> , 2001;61: 221-225
	✓	Ito et al., "Expression of p57/Kip2 Protein in Pancreatic Adenocarcinoma," <i>Pancreas</i> , 2001;23(3): 246-50
	✓	Ito et al., "Expression of p57/Kip2 protein in normal and neoplastic thyroid tissues," <i>Int J Mol Med</i> , 2002;9: 373-376

EXAMINER 	Date Considered 01/17/06
<small>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</small>	

INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
	Applicant(s): Hsu et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
	Information Disclosure Statement mailed: _____	

Examiner Initial	Copy Enclosed	Document Description
ASD	✓	Janicke et al., "Caspase-3 Is Required for DNA Fragmentation and Morphological Changes Associated with Apoptosis," <i>J Biol Chem</i> , 17 April 1998;273(16): 9357-9360
	✓	Jin et al., "Different Effects of Five Catechins on 6-Hydroxydopamine-Induced Apoptosis in PC12 Cells," <i>J Agric Food Chem</i> , 2001;49: 6033-6038
	✓	Jung et al., "A Potential Role for Ceramide in the regulation of Mouse Epidermal Keratinocyte Proliferation and Differentiation," <i>J Invest Dermatol</i> , 1998;110: 318-323
	✓	Kagawa et al., "Deficiency of Caspase-3 in MCF7 Cells Blocks Bax-mediated Nuclear Fragmentation but not Cell Death," <i>Clin Cancer Res</i> , 2001;7:1474-1480
	✓	Katiyar et al., "Inhibition of UVB-induced oxidative stress-mediated phosphorylation of mitogen-activated protein kinase signaling pathways in cultured human epidermal keratinocytes by green tea polyphenol(-)-epigallocatechin-3-gallate," <i>Toxicol Appl Pharmacol</i> , 2001;176: 110-117
	✓	Katiyar et al., "Green tea polyphenol (-)-epigallocatechin-3-gallate treatment of human skin inhibits ultraviolet radiation-induced oxidative stress," <i>Carcinogenesis</i> , 2001;22(2): 287-294
	✓	Katiyar, et al., "Green Tea Polyphenolic antioxidants and skin photoprotection (Review)," <i>Int J Oncol</i> , 2001;18:1307-1313
	✓	Kennedy et al., "Growth inhibitory effect of green tea extract in Ehrlich ascites tumor cells involves cytochrome c release and caspase activation," <i>Cancer Lett</i> , 2001;166: 9-15
	✓	King, et al., "Characteristics and occurrence of phenolic phytochemicals," <i>J Am Diet Assoc</i> , 1999;99:213-218
	✓	Kiningham, et al., "Overexpression of Manganese Superoxide Dismutase Selectively Modulates the Activity of Jun-associated Transcription Factors in Fibrosarcoma Cells," <i>Cancer Res</i> , 1997;57: 5265-5271
	✓	Kong et al., "Differential Activation of MAPK and ICE/Ced-3 Protease in Chemical-Induced Apoptosis," <i>Restor Neurol Neurosci</i> , 1998;12: 63-70

EXAMINER 	Date Considered 01/17/06
<small>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</small>	


INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
	Applicant(s): Hsu et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
	Information Disclosure Statement mailed: _____	

Examiner Initial	Copy Enclosed	Document Description
ASD	✓	Lambert, et al., "Cancer chemopreventive activity and bioavailability of tea and tea polyphenols," <i>Mutat Res</i> , 2003 Feb- Mar;523-524: 201-208
	✓	Lapp et al., "Macroarray analysis of tea polyphenol-treated normal versus malignant epithelial cells" Medical College of Georgia School of Denistry, USA. AADR Annual Meeting, Honolulu, HI. March 12, 2004.
	✓	Lee et al., "Cloning of p57 ^{KIP2} , a cyclin-dependent kinase inhibitor with unique domain structure and tissues distribution," <i>Genes Dev</i> , 1995;9: 639-649
	✓	Lee et al., "Differentiation of Cultured Human Epidermal Keratinocytes at High Cell Densities is Mediated by Endogenous Activation of The Protein Kinase C Signaling Pathway," <i>J Invest Dermatol</i> , 1998;111(5): 762-766
	✓	Lee et al., "Inhibition of 1,2,4-benzenetriol-generated active oxygen species and induction of phase II enzymes by green tea polyphenols," <i>Chem Biol Interact</i> , 1995;98: 283-301
	✓	Lee et al., "Protective Effect of Green Tea Polypyphenol (-)-Epigallocatechin Gallate and Other Antioxidants on Lipid Peroxidation in Gerbil Brain Homogenates," <i>Phytother Res</i> , 2003;17:206-209
	✓	Leist, et al., "Four Deaths and a Funeral: From Caspases to Alternative Mechanisms," <i>Nat Rev Mol Cell Bio</i> , 2001;2:589-98
	✓	Liberto, et al., "Growth factor-dependent induction of p21 ^{CIP1} by the green tea polyphenol, epigallocatechin gallate," <i>Cancer Lett</i> , 2000;154: 151-161
	✓	Lin et al., "Cancer Chemoprevention by Tea Polyphenols through Mitotic Signal Transduction Blockade," <i>Biochem Pharmacol</i> , 1999;58: 911-915
	✓	Lippens et al., "Epidermal differentiation does not involve the pro-apoptotic executioner caspases, but is associated with caspase-14 induction and processing," <i>Cell Death Differ.</i> , 2000;7:1218-1224
	✓	Lissy et al., "A common E2F-1 and p73 pathway mediates cell death induced by TCR activation," <i>Nature</i> , 2000; 407: 642-5
	✓	Long et al., "Generation of Hydrogen Peroxide by "Antioxidant" Beverages and the Effect of Milk Addition. Is Cocoa the Best Beverage?," <i>Free Rad Res</i> , 1999;31: 67-71

EXAMINER 	Date Considered 01/17/06
<p>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p>	


INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
	Applicant(s): Hsu et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
	Information Disclosure Statement mailed:	

Examiner Initial	Copy Enclosed	Document Description
ASD	✓	Makino et al., "Evaluation of Quantitative Detection of mRNA by the reverse transcription-polymerase chain reaction," <i>Technique</i> , 1990;2: 295-301
	✓	Martinez et al., "Coordinated changes in cell cycle machinery occur during keratinocyte terminal differentiation," <i>Oncogene</i> , 1999;18: 397-406
	✓	Milton, "Nutritional Characteristics of Wild Primate Foods: Do the Diets of our Closest Living Relatives Have Lessons for Us?," <i>Nutrition</i> , 1999;15(6): 488-498
	✓	Missero et al., "Involvement of the cell-cycle inhibitor <i>Cip1/WAF1</i> and the E1A-associated p300 protein in terminal differentiation," <i>Proc Natl Acad Sci USA</i> , June 1995;92: 5451-5455
	✓	Miyazawa, "Absorption, metabolism and antioxidative effects of tea catechin in humans," <i>Biofactors</i> , 2000;13: 55-59
	✓	Moroni et al., "Apaf-1 is a transcriptional target for E2F and p53," <i>Nat Cell Biol</i> , 2001;3:552-8
	✓	Nakagawa et al., "Fenton Reaction is Primarily Involved in a Mechanism of (-)-Epigallocatechin-3-gallate to Induce Osteoclastic Cell Death," <i>Biochem Biophys Res Comm</i> , 2002;292: 94-101
	✓	Nepka et al., "Tannins, xenobiotic metabolism and cancer chemo-prevention in experimental animals," <i>Eur J Drug Metal Pharmacokinet</i> , 1999;24(2): 183-189
	✓	Nie et al., "Distinct Effects of Tea Catechins on 6-Hydroxydopamine-Induced Apoptosis in PC 12 Cells," <i>Arch Biochem Biophys</i> , 2002;397(1): 84-90
	✓	Nishimori et al., "Smad -mediated Transcription Is Required for Transforming Growth Factor- β 1-induced p57 $Kip2$ Proteolysis in Osteoblastic Cells," <i>J Biol Chem</i> , 6 April 2001;276(14): 10700-10705
	✓	Osaki et al., "Tumorigenicity of cell lines established from oral squamous cell carcinoma and its metastatic lymph nodes," <i>Eur J Cancer B, Oral Oncol</i> , 1994;30B(5): 296-301
	✓	Pan et al., "Induction of Apoptosis by the Oolong Tea Polyphenol Theasinensin A through Cytochrome c Release and Activation of Caspase-9 and Caspase-3 in Human U937 cells," <i>J Agric Food Chem</i> , 2000;48: 6337-6346

EXAMINER 	Date Considered 01/18/06
<p>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p>	


INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
	Applicant(s): Hsu et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
	Information Disclosure Statement mailed:	

Examiner Initial	Copy Enclosed	Document Description
ASD	✓	Parkin et al., "Global Cancer Statistics," <i>CA Cancer J Clin</i> , 1999;49:33-64
	✓	Parkin et al., "Estimates of the Worldwide Incidence of Eighteen Major Cancers in 1985," <i>International J. of Cancer</i> , 1993;54:594-606
	✓	Paschka et al., "Induction of apoptosis in prostate cancer cell lines by the green tea component, (-)-epigallocatechin-3-gallate," <i>Cancer Lett</i> , 1998;130: 1-7
	✓	Pingzhang et al., "Experimental studies of the inhibitory effects of green tea catechin on mice large intestinal cancers induced by 1,2-dimethylhydrazine," <i>Cancer Lett</i> , 1994;79: 33-38
	✓	Pistrutto et al., "Expression and transcriptional regulation of caspase-14 in simple and complex epithelia," <i>Cell Death Differ.</i> , 2002;9: 995-1006
	✓	Rendl et al., "Caspase-14 Expression by Epidermal Keratinocytes is Regulated by Retinoids in a differentiation-associated Manner," <i>J Invest Dermatol.</i> , 2002;119:1150-1155.
	✓	Rheinwald et al., "Defective Terminal Differentiation in Culture as a Consistent and Selectable Character of Malignant Human Keratinocytes," <i>Cell</i> , 1980;22: 629-632
	✓	Roy et al., "Anticlastogenic, antigenotoxic and apoptotic activity of epigallocatechin gallate: a green tea polyphenol," <i>Mutat Res</i> , 2003; 523-524: 33-41
	✓	Ruch et al., "Prevention of cytotoxicity and inhibition of intercellular communication by antioxidant catechins isolated from Chinese green tea," <i>Carcinogenesis</i> , 1989;10(6): 1003-1008
	✓	Rushmore, et al., "Pharmacogenomics, Regulation and Signaling Pathways of Phase I and Phase II Drug Metabolizing Enzymes," <i>Curr Drug Metab</i> , 2002;3: 481-490
	✓	Saeki et al., "Oxidation-triggered c-Jun N-terminal kinase (JNK) and p38 mitogen-activated protein (MAP) kinase pathways for apoptosis in human leukaemic cells stimulated by epigallocatechin-3-gallate (EGCG): a distinct pathway from those of chemically induced and receptor-mediated apoptosis," <i>Biochem J</i> , 2002;368: 705-720

EXAMINER 	Date Considered 01/18/06
<small>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</small>	

INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
	Applicant(s): Hsu et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
	Information Disclosure Statement mailed: _____	


Examiner Initial	Copy Enclosed	Document Description
ASD	✓	Sakagami et al., "Productin of Hydrogen Peroxide and Methionine Sulfoxide by Epigallocatechin Gallate and Antioxidants," <i>Anticancer Res</i> , 2001;21: 2633-2642
	✓	Shen et al., "Green Tea Catechins Evoke a Phase Contraction in Rat Aorta via H ₂ O ₂ -Mediated Multiple-Signalling Pathways," <i>Clin Exp Pharmacol Physiol</i> , 2003;30: 88-95
	✓	Soengas et al., "Inactivation of the apoptosis effector Apaf-1 in malignant melanoma," <i>Nature</i> , 2001; 409: 207-211
	✓	Stoner, et al., "Polyphenols as Cancer Chemopreventive Agents," <i>J Cell Biochem Supp</i> , 1995;22: 169-180
	✓	Stratton et al., "Dermal toxicity of topical (-)epigallocatechin-3-gallate in BALB/c and SKH1 mice," <i>Cancer Lett</i> , 2000;158: 47-52
	✓	Suganuma et al., "Green tea and cancer chemoprevention," <i>Mutat Res</i> , 1999;428: 339-344
	✓	Suganuma et al., "Synergistic Effects of (-)-Epigallocatechin Gallate with (-)-Epicatechin, Sulindac, or Tamoxifen on Cancer-preventive Activity in the Human Lung Cancer cell Line PC-9 ¹ ," <i>Cancer Res</i> , 1999;59: 44-47
	✓	Sugisawa, et al., "Physiological Concentrations of (-)-Epigallocatechin-3-O-Gallate (EGCg) Prevent Chromosomal Damage Induced by Reactive Oxygen Species in WIL2-NS Cells," <i>J Nutr</i> , 2002;132:1836-1839
	✓	Takahashi et al., "Mice Lacking a CDK Inhibitor, p57 ^{Kip2} , Exhibit Skeletal Abnormalities and Growth Retardation," <i>J Biochem (Tokyo)</i> , 2000;127: 73-83
	✓	Tanaka, "Protective Effects of (-)-Epigallocatechin Gallate and (+)-Catechin on Paraquat-Induced Genotoxicity in Cultured Cells," <i>J Toxicol Sci</i> , 2000; 25(3):199-204
	✓	Torrance et al., "Use of isogenic human cancer cells for high-throughput screening and drug discovery," <i>Nat Biotechnol</i> , 2001;19: 940-945
	✓	Tsugu et al., "Expression of p57 ^{KIP2} Potently Blocks the Growth of Human Astrocytomas and Induces Cell Senescence," <i>Am J Pathol</i> , 2000;157(3):919-32

EXAMINER 	Date Considered 01/18/06
--	------------------------------------

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
	Applicant(s): Hsu et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
	Information Disclosure Statement mailed:	

Examiner Initial	Copy Enclosed	Document Description
HS	✓	Ueta et al., "Manganese Superoxide Dismutase Negatively Regulates the Induction of Apoptosis by 5-Fluorouracil, Peplomycin and γ -Rays in Squamous Cell Carcinoma Cells," <i>Jpn J Cancer Res</i> , 1999;90: 555-564
	✓	Ueta et al., "Mn-SOD Antisense Upregulates <i>in vivo</i> apoptosis of squamous cell, carcinoma cells by anticancer drugs and γ -rays regulating expression of the BCL-2 family proteins, COX-2 and p21," <i>Int J Cancer</i> , 2001;94: 545-550
	✓	van der Burg et al., "Mitogenic Stimulation of Human Breast Cancer Cells in a Growth Factor-Defined Medium: Synergistic Action of Insulin and Estrogen," <i>J Cell Physiol</i> , 1988;134: 101-108
	✓	Van De Craen et al., "Identification of a new caspase homologue: caspase-14," <i>Cell Death Differ.</i> , 1998;5: 838-846.
	✓	Vattemi et al., "T-cell anti-apoptotic mechanisms in inflammatory myopathies," <i>J Neuroimmunol</i> , 2000;111: 146-151
	✓	Vuillame et al., "Striking differences in cellular catalase activity between two DNA repair-deficient diseases: xeroderma pigmentosum and trichothiodystrophy," <i>Carcinogenesis</i> , 1992;13(3): 321-328
	✓	Watanabe et al., "Suppression of cell transformation by the cyclin-dependent kinase inhibitor p57 ^{Kip2} requires binding to proliferating cell nuclear antigen," <i>Proc Natl Acad Sci</i> , February 1998;95:1392-1397
	✓	Wei et al., "Scavenging of hydrogen peroxide and inhibition of ultraviolet light-induced oxidative DNA damage by aqueous extracts from green and black teas," <i>Free Radic Biol Med</i> , 1999;26: 1427-1435
	✓	Yamamoto et al., "Green Tea Polyphenol causes differential oxidative environments in Tumor versus Normal Epithelial Cells," <i>J Pharmacol Exp Ther</i> , 3 September 2003;307: 230-236
	✓	Yamamoto et al., "Role of Catalase and Hydrogen Peroxide in Green Tea Polyphenol-Induced Chemopreventive effects," <i>J Pharmacol Exp Ther</i> , 2004 Jan;308(1): 317-23
	✓	Yamamoto et al., "Protection of Salivary Gland Cells against Xerostomia by Green tea," AADR Annual Meeting, Honolulu, HI. March 12, 2004

EXAMINER: 	Date Considered 01/18/06
<p>*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p>	

INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 275.00070101	Serial No.: 10/732,782
	Applicant(s): Hsu et al.	Confirmation No.: 6883
	Application Filing Date: 12/10/03	Group: 1614
	Information Disclosure Statement mailed:	

Examiner Initial	Copy Enclosed	Document Description
ASD	✓	Yan et al., "Ablation of the CDK inhibitor p57 ^{Kip2} results in increased apoptosis and delayed differentiation during mouse development," <i>Genes Dev.</i> , 1997;11: 973-983
	✓	Yang et al., "Inhibition of growth and induction of apoptosis in human cancer cell lines by tea polyphenols," <i>Carcinogenesis</i> , 1998;19(4):611-616
	✓	Yang et al., "Human salivary tea catechin levels and catechin esterase activities: implication in human cancer prevention studies," <i>Cancer Epidemiol Biomarkers Prev.</i> , 1999;8: 83-89
	✓	Yang et al., "Effect of black and green tea polyphenols on c-jun phosphorylation and H ₂ O ₂ production in transformed and non-transformed human bronchial cell lines: possible mechanisms of cell growth inhibition and apoptosis induction," <i>Carcinogenesis</i> , 2000;21(11): 2035-2039
	✓	Yokoyama et al., "Inhibitory effect of epigallocatechin-gallate on brain tumor cell lines in vitro," <i>Neuro-oncol.</i> , 2001;3: 22-28
	✓	Yoneda et al., "p53 Gene mutations and p21 protein expression induced independently of p53, by TGF-β and γ-rays in squamous cell carcinoma cells," <i>Eur J Cancer</i> , 1999;35(2):278-283
	✓	Zhang et al., "Decline of Superoxide dismutase activity during antioxidant-induced apoptosis in HL-60 cells," <i>Anticancer Res</i> , 2002;22: 219-224
	✓	Zhu et al., "Identification of oxidation products of (-)-epigallocatechin gallate and (-)-epigallocatechin with H ₂ O ₂ ," <i>J Agric Food Chem</i> , 2000;48: 979-981
	✓	Zou et al., "An APAF-1• Cytochrome c Multimeric Complex Is a Functional Apoptosome that Activates Procaspace-9," <i>J Biol Chem</i> , 23 April 1999;274(17): 11549-11556
	✓	Zou et al., "Apaf-1, a human protein homologous to C.elegans CED-4, participates in cytochrome c-dependent activation of caspase-3," <i>Cell</i> , 1997;90: 405-413.

EXAMINER 	Date Considered 01/18/06
*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	